

CLINICAL LINKS AMONG MDS-BASED QM/QI DOMAINS & QM/QIS



<p>Accidents</p> <ul style="list-style-type: none"> 1.1 New Fractures 1.2 Falls 3.1 Use of 9 or More Meds 7.1 Weight loss 7.3 Dehydration 8.1 Pain 9.1 Decline in Late Loss ADLs 9.3 Decline in Mobility 10.1,2,3 Psychoactive Drug use 11.1 Daily Physical restraints 	<p>Behavior/Emotional Patterns</p> <ul style="list-style-type: none"> 3.1 Use of 9 or More Meds 4.1 Incidence of Cognitive Impairment 5.4 Fecal Impaction 6.1 UTI 7.1 Weight loss 7.3 Dehydration 8.1 Pain 9.2 Bedfast Residents 11.2 Little or no Activity 	<p>Clinical Management</p> <ul style="list-style-type: none"> 1.2 Falls 2.1 Symptoms of depression 2.3 Depression without RX 3.1 Use of 9 or More Meds 4.1 Incidence of Cognitive Impairment 5.1 Bladder/Bowel Incontinence 5.4 Fecal Impaction 7.1 Weight loss 7.2 Tube feeding 7.3 Dehydration 9.1 Decline in Late Loss ADLs 10.1,2,3 Psychoactive Drug use
<p>Cognitive Patterns</p> <ul style="list-style-type: none"> 2.2 Behavior Affecting Others 2.1 Symptoms of depression 4.1 Incidence of Cognitive Impairment 5.4 Fecal Impaction 6.1 UTIs 7.1 Weight loss 7.3 Dehydration 8.1 Pain 9.1 Decline in Late Loss ADLs 10.1,2,3 Psychoactive Drug use 11.1 Daily Physical restraints 11.2 Little or no Activity 	<p>Elimination/Incontinence</p> <ul style="list-style-type: none"> 3.1 Use of 9 or More Meds 5.4 Fecal Impaction 5.1 Bladder/Bowel Incontinence 5.2 Catheter 5.3 No toileting plan 6.1 UTIs 7.3 Dehydration 8.1 Pain 9.2 Bedfast Residents 9.1 Decline in Late Loss ADLs 10.1,2,3 Psychoactive Drug use 11.1 Daily Physical restraints 12.1, 2 Pressure Ulcers 	<p>Infection Control</p> <ul style="list-style-type: none"> 2.2 Behavior Affecting Others 3.1 Use of 9 or More Meds 4.1 Incidence of Cognitive Impairment 5.1 Bladder/Bowel Incontinence 5.2 Indwelling Catheter 6.1 UTIs 7.3 Dehydration 8.1 Pain 9.2 Bedfast Residents 12.1, 2 Pressure Ulcers
<p>Nutrition/Eating</p> <ul style="list-style-type: none"> 2.1 Symptoms of depression 3.1 Use of 9 or More Meds 4.1 Incidence of Cognitive Impairment 5.4 Fecal Impaction 6.1 UTIs 8.1 Pain 9.2 Bedfast Residents 9.1 Decline in Late Loss ADLs 10.1,2,3 Psychoactive Drug use 11.1 Daily Physical restraints 12.1, 2 Pressure Ulcers 	<p>Physical Functioning</p> <ul style="list-style-type: none"> 1.1 New Fractures 1.2 Falls 2.1 Symptoms of depression 3.1 Use of 9 or More Meds 4.1 Incidence of Cognitive Impairment 5.1 Bladder/Bowel Incontinence 6.1 UTIs 7.1 Weight loss 7.3 Dehydration 8.1 Pain 10.1,2,3 Psychoactive Drug use 11.1 Daily Physical restraints 11.2 Little or no Activity 12.1, 2 Pressure Ulcers 	<p>Psychotropic Drug use</p> <ul style="list-style-type: none"> 1.2 Falls 2.2 Behavior Affecting Others 2.1 Symptoms of depression 3.1 Use of 9 or More Meds 4.1 Incidence of Cognitive Impairment 5.1 Bladder/Bowel Incontinence 7.1 Weight loss 9.1 Decline in Late Loss ADLs 11.1 Daily Physical restraints 11.2 Little or no Activity
<p>Quality of Life</p> <ul style="list-style-type: none"> 1.2 Falls 2.2 Behavior Affecting Others 2.1 Symptoms of depression 2.3 Depression without RX 7.1 Weight loss 7.3 Dehydration 8.1 Pain 9.2 Bedfast Residents 9.1 Decline in Late Loss ADLs 9.4 Decline in ROM 10.1,2,3 Psychoactive Drug use 11.1 Physical restraints 12.1, 2 Pressure Ulcers 	<p>Pain Management</p> <ul style="list-style-type: none"> 1.1 Fractures 1.2 Falls 2.1 Symptoms of depression 2.2, Hi, Lo Behavior affecting others 5.1 Incontinence 6.1 UTI 8.1 Moderate to severe pain 9.1 Decline in Late Loss ADLs 9.2,3,4 Decline in mobility 10.1 Antipsychotic use 10.2,3 Hypnotic use 11.1 Physical restraints 11.2 Little or no activity 12.1, 2 Pressure Ulcers 	<p>Skin Care</p> <ul style="list-style-type: none"> 1.1 New Fractures 5.1 Bladder/Bowel Incontinence 5.2 Indwelling catheters 7.1 Weight loss 7.3 Dehydration 9.2 Bedfast Residents 11.1 Daily Physical restraints 12.1, 2 Pressure Ulcers